

Printing date 05/28/2015

Reviewed on 05/28/2015

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser Details of the supplier of the safety data sheet Manufacturer/Supplier: HaloSource Inc. 1725 220th Street SE, Suite 103, Bothell, WA 98021 Quality@halosource.com Information department: Product safety department Emergency telephone number: During normal opening times: $+1$ (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture V GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. V GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS bale leements GHS G GHS07 Signal word Danger Hazard statements Causes severe shi burns and labeled according to the Globally Harmonized System (CH Hazard statements Cause Supplier) GHS07 Signal word Danger Hazard statements Causes severe shi nums and eye damage. Precautionary statements Proceutionary statements Proceutionary statements Proceutionary statements Causes severe skin burns and eye damage. Proceutionary statements	Product la	ntifier
Details of the supplier of the safety data sheet Manufacturer/Supplier: HaloSource Inc. 1725 220th Street SE, Suite 103, Bothell, WA 98021 Quality@halosource.com Information department: Product safety department Emergency telephone number: During normal opening times: $+1$ (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture \overrightarrow{v} GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. \overrightarrow{v} GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS 104 Elements GHS105 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Gignal word Danger Hazard statements Combustible liquid. Hazard statements Combustible liquid. Hazard statements Combustible liquid. Hazard statements Causes severe skin burns and eye damage. Parameter Signal word Danger Hazard statements Combustible liquid. Hazard statements Combustible liquid. Hazard statements Causes severe skin burns and eye damage. Precautionary statements	Trade nam	e: SeaKlear Spa: Filter Cleaner & Degreaser
Manufacturer/Supplier: HaloSource Inc. Validy@halosource.com Information department: Product safety department Emergency telephone number: During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture view GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. view GHS07 Acute Tox. 4 Acute Tox. 4 H302 Harmful if swallowed. Flaan Liq. 4 Flaan Liq. 4 GHS05 GHS07 Signal word Danger Hazard determining components of labeling: Combustible liquid. Latard statements GHS05 GHS07 Signal word Danger Hazard determining components of labeling: 2-butoxyethanol Hazard statements<		
HaloSource Inc. 1725 220th Street SE, Suite 103, Bothell, WA 98021 Quality@halosource.com Information department: Product safety department Emergency telephone number: During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture Classification of the substance or mixture Statements Classification of the substance or mixture Classification of the substance or mixture		
Quality@halosource.com Information department: Product safety department Emergency telephone number: During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Fiam. Liq. 4 H227 Combustible liquid. Label elements GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Hazard Statements Combustible	HaloSource	Inc.
Information department: Product safety department Emergency telephone number: During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS06 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Hazard statements Chases severe skin burns and eye damage. Precautionary statements Combustible liquid. Clauses severe skin burns and eye damage. Precautionary statements Combustible liquid. Clauses severe skin burns and eye damage. Procentionary statements Combustible liquid. Clauses severe skin burns and eye damage. Combustible liquid. Clauses severe skin burns and eye damage. Procentionary statements		
Emergency telephone number: During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes seview e damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Hazard statements	Quality@ha	losource.com
During normal opening times: +1 (425) 881-6464 800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS05 GHS07 Signal word Danger Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
800-424-9300 CHEMTREC (Domestic, North America) +1-703-527-3887 CHEMTREC (International, collect calls accepted) Hzard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
+1-703-527-3887 CHEMTREC (International, collect calls accepted) Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS05 GHS07 Signal word Danger Hazard statements GHS05 GHS07 Signal word Danger Hazard statements Combustible liquid. Hazard statements Combustible liquid. Hazard statements Combustible liquid. Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dan. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (G Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dan. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (O Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	Hozord	identification
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. \overrightarrow{V} GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (Chazard pictograms \overrightarrow{V} \overrightarrow{V} \overrightarrow{V} \overrightarrow{V} GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	, in the second s	
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dan. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (O Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	Classificati	on of the substance or mixture
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dan. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (O Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	E D	
Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		HSU5 Corrosion
Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (G Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
GHS07 Acute Tox. 4 H302 Harmful if swallowed. Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (Chazard pictograms \overrightarrow{V} \overrightarrow{V} \overrightarrow{V} \overrightarrow{V} GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Flam. Liq. 4 H227 Combustible liquid. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (CHazard pictograms) GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	\checkmark	
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (Classified pictograms) Image: Complexity of the Global pictogram GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms	Flam. Liq. 4	H227 Combustible liquid.
Hazard pictograms		
GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	L.J.	
Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	∇	•
Signal word Danger Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	GHS05	CHS07
Hazard-determining components of labeling: 2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	011505	
2-butoxyethanol Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements	Signal wor	I Danger
Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Harmful if swallowed. Causes severe skin burns and eye damage. Precautionary statements		
Causes severe skin burns and eye damage. Precautionary statements		
Precautionary statements		
		from flames and hot surfaces. – No smoking. (Contd.

Printing date 05/28/2015

Reviewed on 05/28/2015

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

(Contd. of page 1) IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 4 Health = 4FIRE 2 Fire = 2Reactivity = 0**REACTIVITY** 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. • **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 111-76-2 2-butoxyethanol

4 First-aid measures

- · Description of first aid measures
- \cdot General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- \cdot After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US -

Printing date 05/28/2015

Reviewed on 05/28/2015

(Contd. of page 2)

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

```
• Additional information about design of technical systems: No further data; see item 7.
```

· Control parameters

 Components with limit values the 	at require monitoring at the workplace:

111-76-2 2-butoxyethanol

- PEL Long-term value: 240 mg/m³, 50 ppm Skin
- REL Long-term value: 24 mg/m³, 5 ppm Skin
- TLV Long-term value: 97 mg/m³, 20 ppm BEI

(Contd. on page 4)

US -

Printing date 05/28/2015

Reviewed on 05/28/2015

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

(Contd. of page 3)

· Ingre	Ingredients with biological limit values:		
111-7	76-2 2-butoxyethanol		
BEI	200 mg/g creatinine		
	Medium: urine		
	Time: end of shift		
	Parameter: Butoxyacetic acid with hydrolysis		
Addi	tional information: The lists that were valid during the creation were used as basis.		
	sure controls		
	onal protective equipment:		
	ral protective and hygienic measures:		
	away from foodstuffs, beverages and feed.		
	ediately remove all soiled and contaminated clothing.		
	hands before breaks and at the end of work.		
	d contact with the eyes and skin.		
	thing equipment:		
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us		
respir	atory protective device that is independent of circulating air.		
Prote	ection of hands:		
	Protective gloves		
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.		
	Tightly sealed goggles		

Information on basic physical and chemical properties General Information					
Appearance:					
Form:	Liquid				
Color:	Purple				
Odor:	Mild				
Odour threshold:	Not determined.				
pH-value at 20 °C (68 °F):	13				
Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	100 °C (212 °F)				
Flash point:	65 °C (149 °F)				
Flammability (solid, gaseous):	Not applicable.				
Ignition temperature:	240 °C (464 °F)				
• Decomposition temperature:	Not determined.				

Printing date 05/28/2015

Reviewed on 05/28/2015

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

	(Co	ntd. of page
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	10.6 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.04 g/cm ³ (8.679 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	14.0 %	
VOC content:	14.0 %	
Solids content:	20.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

111-76-2 2-butoxyethanol

- Oral LD50 1480 mg/kg (rat)
- Dermal LD50 400 mg/kg (rab)
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 05/28/2015

Reviewed on 05/28/2015

(Contd. of page 5)

3

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

 \cdot Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA

UN3266

(Contd. on page 7)

US

Printing date 05/28/2015

Reviewed on 05/28/2015

	(Contd. of pag
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIU HYDROXIDE)
Transport hazard class(es)	
DOT	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
Packing group DOT, IMDG, IATA	Π
Environmental hazards: Marine pollutant:	No
• Special precautions for user • Danger code (Kemler):	Warning: Corrosive substances 80
· EMS Number: · Segregation groups	F-A,S-B Alkalis
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	
	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN3266, Corrosive liquid, basic, inorganic, n.o.s. (Sodiu hydroxide), 8, II

(Contd. on page 8)

Printing date 05/28/2015

Reviewed on 05/28/2015

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 \cdot Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

· TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms**



· Signal word Danger

Hazard-determining components of labeling:
2-butoxyethanol
Hazard statements
Combustible liquid.
Harmful if swallowed.
Causes severe skin burns and eye damage.
Precautionary statements
Keep away from flames and hot surfaces. – No smoking.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.

(Contd. on page 9)

NL

A3

Printing date 05/28/2015

Reviewed on 05/28/2015

(Contd. of page 8)

Trade name: SeaKlear Spa: Filter Cleaner & Degreaser

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- · Contact: Mrs. Jackson
- · Date of preparation / last revision 05/28/2015 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 4: Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 US