

Date: 1/24/2007 Revision: 00

Material Safety Data Sheet

SeaKlear: Yellow Klear

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name: HaloSource, Inc.

Corporate Address: 1631 220th St. SE, Suite 100, Bothell, WA 98021 **Manufacturer's Telephone:** (425) 881-6464 (Monday-Friday, 8AM-5PM PDT)

Emergency Telephone: 800-424-9300 Chemtrec (24 Hours)

Material/Trade/Product Name: SeaKlear: Yellow Klear

Synonyms: None

Chemical Name:Not availableChemical Formula:Not availableCAS No.:Not applicableEPA Re. No.:46043-27-72083

Product Use: For use to control and prevent algae growth and to maintain clear water in

swimming pools.

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

CAS NO.	COMPONENT	%	OSHA HAZARDOUS ?
7647-15-6	Sodium Bromide	99	Yes
	All other components are non-hazardous.	1	No

NOTE: See Section 8 for permissible exposure limits.

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Odorless white crystalline solid.

WARNING! Harmful if swallowed. May be harmful if inhaled. May cause eye and skin irritation (see below under POTENTIAL HEALTH EFFECTS).

POTENTIAL HEALTH EFFECTS

EYE: Mild irritant.

SKIN: Not an irritant to intact skin. Slight irritant to abraded skin.

INHALATION: Irritant to upper respiratory tract. May cause respiratory depression.

SeaKlear: Yellow Klear Page Number: 2 of 7

INGESTION: May cause drowsiness, muscular in coordination, abdominal pain, nausea, and/or vomiting if ingested.

CHRONIC EXPOSURE/CARCINOGENICITY: Repeated skin contact may cause dermatitis. Repeated oral intake of bromides (>9 mg/kg body weight/day) may affect the central nervous system. Warning symptoms include mental dullness, slurred speech, weakened memory, apathy, anorexia, constipation, drowsiness, and loss of sensitivity to touch and pain.

This material is not known to cause cancer in animals or humans.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: May cause respiratory depression, stinging, burning, and/or coughing if inhaled. May irritate eyes with stinging, watering, inflammation. May irritate skin with redness, swelling, and scab formation. May cause drowsiness, muscular in coordination, abdominal pain, nausea, and/or vomiting if ingested.

AGGRAVATION OF PRE-EXISTING CONDITIONS: None known.

<u>POTENTIAL ENVIRONMENTAL EFFECTS</u>: Sodium bromide is an inorganic salt, which fully dissociates in aquatic environment to bromide and sodium ions. It also undergoes degradation in soil to bromide ion (no further degradation or biodegradation will occur.)

SECTION 4: FIRST AID MEASURES

FIRST AID PROCEDURES

EYE CONTACT: Immediately flush with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Call a physician at once.

SKIN CONTACT: Remove contaminated clothing, wash skin thoroughly with mild soap and plenty of water for at least 15 minutes. Wash clothing before re-use. Get medical attention if irritation occurs.

INHALATION: Remove to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Call a physician.

INGESTION: Do not induce vomiting unless directed to do so by medical personnel. Wash mouth thoroughly with plenty of water and give water to drink. *Do not give anything by mouth if the person is unconscious*. Call a physician at once.

NOTE TO PHYSICIANS: Not available.

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: Not available

UPPER FLAMMABLE LIMIT: Not available

AUTOIGNITION TEMPERATURE: Not available

LOWER FLAMMABLE LIMIT: Not available

FLAMMABLITY CLASS (OSHA): Not applicable FLAME PROPAGATION/BURNING RATE: Not available

UNIQUE FIRE PROPERTIES: Will decompose from 800°C releasing poisonous and corrosive fumes of hydrogen bromide and sodium oxide.

HAZARDOUS COMBUSTION PRODUCTS: Will decompose from 800°C releasing poisonous and corrosive fumes of hydrogen bromide and sodium oxide.

EXTINGUISHING MEDIA: Use extinguishing media appropriate to surrounding fire.

SeaKlear: Yellow Klear Page Number: 3 of 7

PROTECTION OF FIREFIGHTERS: Use water to cool containers exposed to fire. Provide firefighters with self-contained breathing apparatus in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: See Section 8 (Personal Protective Equipment).

ENVIRONMENTAL PRECAUTIONS: Sodium bromide is an inorganic salt, which fully dissociates in aquatic environment to bromide and sodium ions. It also undergoes degradation in soil to bromide ion (no further degradation or biodegradation will occur.)

METHODS FOR CLEANING UP: Sweep up and place in bag and half for waste disposal or possible re-use. Ventilate are and wash spill site after material pickup is complete.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING RECOMMENDATIONS

VENTILATION: Use with adequate ventilation.

FIRE PREVENTION: No special requirements, material is not flammable.

SPECIAL HANDLING REQUIREMENTS: Avoid bodily contact. Wash hands thoroughly after handling.

SAFE STORAGE RECOMMENDATIONS

CONTAINMENT: Keep container closed when not in use.

STORAGE ROOM RECOMMENDATIONS: Keep in a well-ventilated room away from incompatible materials.

INCOMPATIBLE MATERIALS: Strong acids, strong oxidizers, heavy metal salts. Reacts explosively with bromine trifluoride.

STORAGE CONDITIONS: Do not allow product to be heated above 800°C.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne below recommended exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE/FACE PROTECTION: Wear safety glasses with side shields or goggles.

SKIN PROTECTION: Lab coat.

HAND PROTECTION: Wear gloves.

RESPIRATORY PROTECTION: Use a dust mask/respirator. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

SeaKlear: Yellow Klear Page Number: 4 of 7

GOOD HYGEIENE/WORK PRACTICES: Always follow good hygiene/work practices by avoiding vapors or mists and contact with eyes and skin. Thoroughly wash hands after handling and before eating or drinking. Always wear the appropriate PPE when repairing or performing maintenance on contaminated equipment.

EXPOSURE GUIDELINES

PERMISSIBLE EXPOSURE LIMITS						
INGREDIENT	OSHA		WISHA		ACGIH (TLV)	
CAS NO.	TWA	STEL	TWA	STEL	TWA	STEL
Not applicable	Not	Not	Not	Not	Not	Not
	applicable	applicable	applicable	applicable	applicable	applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

COLOR: White SHAPE: Crystalline PHYSICAL FORM: Solid ODOR: Odorless

pH: Not available VAPOR PRESSURE: 1mm Hg @ 806°C

VAPOR DENSITY: Not available BOILING POINT: 1390°C

MELTING POINT: 755°C FREEZING POINT: Not available

SOLUBILITY IN WATER: 94.6g/100ml @ 25°C SPECIFIC GRAVITY OR DENSITY: 3.203

NOTE: These physical data are typical values based on material tested but may vary from sample to sample. Values should not be construed as a guaranteed analysis of any specific lot or as specifications.

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: Heating above decomposition temperature of 800°C

MATERIALS TO AVOID (INCOMPATIBILITY): Strong acids, strong oxidizers, heavy metal salts. Reacts explosively with bromine trifluoride.

HAZARDOUS DECOMPOSITION PRODUCTS: Will decompose from 800°C releasing poisonous and corrosive fumes of hydrogen bromide and sodium oxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

ORAL LD₅₀ (rat): 4200 mg/kg

DERMAL LD₅₀ (rabbit): >2000 mg/kg

DERMAL LD₅₀ (rat): >2000 mg/kg

INHALATION LC₅₀ (rabbit): Not available.

SKIN IRRITATION (rabbit): Not an irritant

SeaKlear: Yellow Klear Page Number: 5 of 7

EYE IRRITATION (rabbit): Slightly irritating

SKIN SENSITIZATION (guinea pig): Not a sensitizer

ADDITIONAL INFORMATION:

MUTAGENICITY: Does not induce DNA repair in cultured human epitheliod cells. Not clastogenic in human lymphocytes metaphase analysis. Not mutagenic by the Ames test.

REPRODUCTIVE TOXICITY: Sodium bromide has been shown to cause embryo-fetal toxicity and malformations in rats at dose levels, which also produce maternal toxicity. The no-observed effect level (NOEL) is 100 mg/kg/day, and the acceptable daily intake (ADI) for sodium bromide from food and drinking water in humans is 1 mg/kg/day. Comparable high doses of sodium chloride (table salt) similarly cause malformations, embryo-fetal toxicity, and maternal toxicity in mice.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Not available.

MOBILITY: Not available.

PERSISTENCE AND DEGRADABILITY: Not available.

BIOACCUMULATIVE POTENTIAL: Not likely to occur since this material is highly soluble in water.

ADDITIONAL INFORMATION:

ENVIRONMENTAL FATE: Sodium bromide is an inorganic salt, which fully dissociates in aquatic environment to bromide and sodium ions. It also undergoes degradation in soil to bromide ion (no further degradation or biodegradation will occur.)

AQUATIC TOXICTY:

96 HOUR LC₅₀ (rainbow trout): >1000 mg/l 96 HOUR LC₅₀ (bluegill sunfish): >1000 mg/l 48 HOUR EC₅₀ (daphnia magna): >1000 mg/l

AVIAN TOXICTY:

ORAL LD₅₀ (bobwhite quail): >2250 mg/kg DIETARY LC₅₀ (mallard duck): >5633 ppm DIETARY LC₅₀ (bobwhite quail): >5633 ppm

SECTION 13: DISPOSAL CONSIDERATIONS

If this product as supplied becomes a waste, it <u>does not</u> meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

NOTE: Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate.

SeaKlear: Yellow Klear Page Number: 6 of 7

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT):

Proper Shipping Name:
Hazard Class:
Identification Number (UN Number):
Packing Group (PG):

Not Regulated
Not Regulated
Not Regulated

SECTION 15: REGULATORY INFORMATION

TSCA STATUS: Listed

CERCLA REPORTABLE QUANTITY (RQ):

CHEMICAL NAME	RQ
Not applicable	Not applicable

SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (EHS):

CHEMICAL NAME	TPQ	RQ
Not applicable	Not applicable	Not applicable

SARA TITLE III SECTION 311/312 HAZARD CATEGORIES: Does this product/material meet the definition of the following hazard classes according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of SARA Title III?

ACUTE HEALTH HAZARD	CHRONIC HEALTH HAZARD	FIRE HAZARD	REACTIVE HAZARD	SUDDEN RELEASE OF PRESSURE
YES	YES	NO	NO	NO

SARA TITLE III SECTION 313 TOXIC CHEMICALS INFORMATION:

CHEMICAL NAME	CAS NO.	CONCENTRATION (%)
Not applicable	Not applicable	Not applicable

CALIFORNIA PROPOSITION 65: The following chemical(s) is/are known to the state of California to cause cancer or reproductive toxicity:

CHEMICAL NAME	CAS NO.	CONCENTRATION (%)
Not applicable	Not applicable	Not applicable

SECTION 16: OTHER INFORMATION

REVISION INFORMATION:

SeaKlear: Yellow Klear Page Number: 7 of 7

MSDS sections(s) changed since last revision of document: Not applicable.

DISCLAIMER:

__

The above information is based upon information HaloSource, Inc. believes to be reliable and is supplied for informational purposes only. HaloSource, Inc. disclaims any liability for damage which results from the use of the above information and nothing contained therein shall constitute a guarantee, warranty (including fitness for a particular purpose) or representation with respect to the accuracy or completeness of the data, the product described or their use for any specific purpose even if that purpose is known to HaloSource, Inc. The final determination of the suitability of the information, the manner of use of the information or product and potential infringement is the sole responsibility of the user.

:esponsibility of the user.

**

MSDS PREPARED BY: Jeremy Heath, EH&S Specialist