





# S.R. Smith LLC Commercial Division SRSmith **Product Specifications - Written**

### Product Name: Swim Club II FunSlide

Part Number: 645-209-5811 to 645-209-5828

### **General Notes:**

The **Swim Club II** is a tall height slide with an acrylic runway and polished, stainless steel ladder, handrails, and legs. The Swim Club II is available in both a left and right curve, as well as in a variety of colors. This slide has been tested by outside independent agencies and has been found to conform to the standards of the U.S. Consumer Product Safety Commission (CPSC).

### **Application:**

This slide is intended for heavy-duty use on in-ground residential or commercial pools. With proper in-deck anchoring, this product is suitable for use in most geographic regions.

### **Specifications:**

1

**Runway:** The slide runway is made from a thick, durable, vacuum formed acrylic tray. The underside of the runway is reinforced with formed acrylic channels to keep the slide shape. A water delivery system provides a constant, substantial water flow from the top of the runway and is designed to be connected to a standard U.S. outdoor faucet.



5

Ladder and Handrail Assembly: The two (2) ladder posts are made from 1.90" O.D. x .065 wall (48.3mm x 1.65) polished type 316L stainless steel. The ladder is inclined 15° off vertical for ease of climbing. The upper handrail is made from 1.00" O.D. x .065 wall (25.4mm x 1.65) 316L stainless steel. Six (6) steps are mounted to the frame. The steps are constructed of polished 304 stainless steel with nominal dimensions of 3" x 20 (76.2mm x 508). The step frames have replaceable, black, non-skid tread inserts.

Legs: The legs are made from 1.90" O.D. x .065 wall (48.3mm x 1.65) polished type 316L stainless steel tube and are designed to bolt straight into the runway.

**Escutcheon:** (p/n EP-100F) The round escutcheon plate is 4.5" (114.3mm) in dia. and is stamped of .023" (58mm) polished, type 304 stainless steel.

Anchor Assembly (Sold Separately) (p/n AS-100B, see spec sheet for SRS-908): These 4" deep anchor sockets are bronze castings. They are intended for heavy-duty commercial use and fixtures secure by means of a wedge assembly. A 1/4-20 UNC brass grounding screw is included. Alternative anchor assemblies include p/n IAS-100 (see spec sheet for SRS-913).

## **Additional Product Numbers and Shipping Weight:**

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT
645-209-5811	Tile Blue RT Curve	125 lbs. (56.7kg)
645-209-5812	Radiant White RT Curve	125 lbs. (56.7kg)
645-209-58120	Pewter Gray RT Curve	125 lbs. (56.7kg)
645-209-58121	Silver Gray RT Curve	125 lbs. (56.7kg)
645-209-5813	Marine Blue RT Curve	125 lbs. (56.7kg)
645-209-5814	Strawberry Coral RT Curve	125 lbs. (56.7kg)
645-209-5815	Sapphire Blue RT Curve	125 lbs. (56.7kg)
645-209-5816	Emerald Green RT Curve	125 lbs. (56.7kg)
645-209-5818	Aged Ivory RT Curve	125 lbs. (56.7kg)

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT	
645-209-5821	Tile Blue LFT Curve	125 lbs. (56.7kg)	
645-209-5822	Radiant White LFT Curve	125 lbs. (56.7kg)	
645-209-58220	Pewter Gray LFT Curve	125 lbs. (56.7kg)	
645-209-58121	Silver Gray LFT Curve	125 lbs. (56.7kg)	
645-209-5823	Marine Blue LFT Curve	125 lbs. (56.7kg)	
645-209-5824	Strawberry Coral LFT Curve	125 lbs. (56.7kg)	
645-209-5825	Sapphire Blue LFT Curve	125 lbs. (56.7kg)	
645-209-5826	Emerald Green LFT Curve	125 lbs. (56.7kg)	
645-209-5828	Aged Ivory LFT Curve	125 lbs. (56.7kg)	

E	MODEL NUMBER 75-209-5200	DESCRIP Swim club anchor kit (containing six (6) as-100b ar	p-100f escutcheon plates)	SHIPPING WEIGHT 12 lbs. (6.8kg)		
Specification Number	: SRS-204			-		
Product Description	: Swim Club I	b II FunSlide		S.R. Smith, Ll		
S.R. Smith Part Number	645-209-581	5811 to 645-209-5828		P.O. Box 400, 1017 SW Be		
Revision	: A	Da	ate: 08/19/03	Canby, Oregon 970 Tel: (888) 677-7776 (503) Fax: (503) 266-433		
Written By	: T. Weil	Da	ate: 08/19/03			
Approved By	: B. Bisceglia	Da	ate: 08/21/03			
Page 4 of 4		onfidential: The information contained in this specification is the sole mith LLC. Any reproduction in part or whole without the written consent C is prohibited.		www.srsmith.com		

LC erg Parkway 7013 03) 266-2231 34 m