Please complete form and return via fax: (888) 648-5677 or email: sales@poolsupplyunlimited.com.

Call (888) 836-6025 with questions.



ARCTIC ARMOR SAFETY COVERS



MEASURING AND ORDERING FORM

Date	□ Order □ Estim	Company Nan	ne		
COVER TYPE 12-Yr. Standard Mesh 15-Yr. Super Mesh 15-Yr. Ultra Solid 25-Yr. Commercial Mesh	☐ Green ☐ ☐ Green ☐	SPACING Blue 5'x 5' Blue 3'x 3' Blue Green	☐ Concrete		
SOLD TO:			FILL IN POOL D	IMENSIONS BELOW	7
Name			C.	G	
Address				Н	
CityS			E	1	8
Phone #			F	J	8
Email:					_
RECTANGLE	-	GRECIAN C=G+E+G D=H+F+H	NSIONS AND ANY CUTC	OVAL	
C D		H) D	G F	C D E	
ROMAN C=G+E+G D=H+F+H		LAZY L Indicate Left or Right "bend" for to deep end - Lazy L Left show		☐ TRUE L	٦
F C	<u>}</u>	D C I	F	Р	E

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED All gunite & free form pools must be AB measured due to their lack of symmetry. See the following AB measuring form.

ADDITIONAL REQUIRED INFORMATION

12. Raised wall or Raised Bond Beam:


Please submit labelled photos for pools with complex features!

corners of open spillway.

Pt# to Pt# Cutouts may be required if objects are within 18" of pool. Please provide A-B dimensions to locate object. Give A-B dimensions at beginning of wall, as well as along wall to end of wall. Height?_____ All non-removable obstacles. 13. Waterfall or Rock Formation: Pt#____to Pt#____ 1. Grabrails: Pt# ___to Pt#_ Distance rails are set back from pool _____ Furnish points at beginning, middle, end of formation. Always use approximate 1'intervals between points. Pt#____to Pt#____ Handrails: Distance rails extend into pool 14. Varying Deck Levels: Pt# to Pt# step 1: 3. Ladders: Pt#____to Pt#___ A-B dimensions require indicating angle of the deck **Ladder Cups** Pt#_____to Pt#____ from pool wall, out onto deck. Height?_____ (if cutout needed) step 2: Pt# to Pt# How far does ladder extend into pool? _____ step 3: Pt#____to Pt#___ Yes No 15 Wood Deck: Pt# 4. Fillspout: Are wood deck anchor Dimensions & distance from pool: Yes ______No _____ flanges required How high if raised? _____ Indicate partial wood deck areas: Pt# to Pt#____ Pt# to Pt# Dive Stand: 16. Commercial Pool: 6. Slide Legs: Skimmer _____ Pt# ____to Pt#____ (within 2 ft) Gutter Distance legs are back from pool _____ If gutter pool, indicate dimension of gutter ____ Pt# to Pt# 7. Dive Rocks: *Covers over 2000 sq. ft. must be made in 3x3 sections. Distance back from pool _____ Give several points along rock, (left side, front side, Additional Requirements right side) Pt#____to Pt#____ Grab Rocks: Distance back from pool _____ 9. Type and width of coping: _____ and _____ 10. Planter or grass area: Pt#______to Pt#____ Pt# to Pt# 11. Spa: Separate cover required Yes _____No ____ How high is spa? _____ Is spa wall flush with top of coping? Yes ____ No ____ Yes _____ No ____ Open Spillway: If yes: To locate spillway Pt#_____to Pt#___ Give points all around spa and points at all four

POOL TYPE		VINYL	VINYL GUNITE					ОТ	OTHER						
Overall length, from poi						nt to point _				(longest point).					
Overall width, from poin						nt									
Additional cross dimensions: Pt#															
Pt#		t	o Pt#=												
* The o	distanc	e betw	een A an	id B is _											
Show A B in relation to the pool (on sketch)															
* Indicate areas where the deck is less than 4' from waterline of the pool															
No.	Α	В	No.	Α	В	No.	Α	В	No.	Α	В	No.	Α	В	
1			17			33			49			65			
2			18			34			50			66			
3			19	1											
4			20			36			52			68			
5			21			37			53			69			
6			22			38			54						
7			23			39			55			71			
8			24			40			56			00 14 00			
9			25			41			57						
10			26			42			58			74	*		
11	25		27			43			59			75			
12			28			44	1 1		60						
13			29			45			61			77			
14			30			46	1		62			78			
15			31			47			63			79			
16			32			48			64			80			
					ANICIA	/ED ALL	OLIEC	TIONIC	CNIDA	CV OF	DAGE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B line or extensions of, cannot intersect pool; "A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1'to 2'intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

