


diving boards & Stands &



diving boards & stands



DIVING BOARDS 101

When combined, diving boards and stands create unique performance characteristics. The most common performance characteristic is "Flex" which means the flexing action that takes place between the board and stand. Board and stand combinations generally fall into three "Flex" performance categories:



 $\mathsf{JUMP}\ \mathsf{BOARDS}\-\!\!\!-\!\!\mathsf{a}$ flexible board on a base that utilizes a spring mechanism

DIVING BOARDS—a flexible board on a rigid base DIVING PLATFORMS—a rigid board on a rigid base

The diving board and stand selector chart below provides a visual reference guide to compatible boards and stands and their corresponding performance category.

residential board & stand selector

BOARDS	stands	Cantilever	D-Lux	Flyte-Deck II	Frontier II	Salt Pool Stand	Supreme	U-Frame
Fibre-Dive				DB				
FreeStyle		JB	DP	DB		JB	JB	
Frontier II					JB			
Frontier III		JB		DB		JB	JB	DB
Frontier IV								DB*
Glas-Hide		JB				JB	JB	
НірНор		JB	DP	DB		JB	JB	
JB—JUMP BOARD	IP BOARD DB —DIVING BOARD DP —DIVING PLATFORM *Requires special U-frames, call factory for assist						tory for assistance	



SALT POOL FRIENDLY

We know pool builders and consumers alike enjoy the benefits of salt chlorinator systems—that's why we've designed a line of products that perform well in salt pool environments. Our Salt Pool Friendly icon is your visual assurance that the most durable and salt friendly materials have been used in manufacturing.

diving boards (flexible board/rigid stand)



U-Frame Stand A smart and economical stand made from polished stainless steel tubing in 12", 18" and 24" sizes. Pairs with 6', 8', or 10' boards.

jump boards (flexible board/flexible stand)



and IO' boards.

Salt Pool Jump System This low-profile, fiberglass-backed stand and composite spring assembly is designed to perform well in salt pools. Pairs with a variety of 6' and 8' boards.



GRAY GRANITE

PEWTER GRAY



Supreme Jump Stand A top-of-the-line jump stand, made from durable, scratch resistant acrylic that's fiberglass reinforced. Pairs with a variety of 6' and 8' boards.



POLISHED

STEEL

Cantilever Jump Stand

Made of powder-coated steel, this stand pairs with a variety of 6' and 8' boards.

RADIANT WHITE TAUPE





Frontier II Jump Stand Made of powder-coated steel, this economical stand comes with a Frontier II 6' or 8' board.

RADIANT WHITE



HipHop[™] on D-Lux Stand Adds a distinctive and fun dive platform shape to your pool. Comes with the matching D-Lux[™] stand^{*}





FreeStyle[™] on D-Lux Stand Will add a unique design element to your pool, with its widest point being twice the width of a traditional diving board. It comes with a matching D-Lux[™] stand.^{*}



SANDSTONE

GRAY GRANITE

diving towers

Heavy-duty diving towers designed for commercial aquatic facilities. Our towers pair with a variety of 8' to 16' boards, and are designed for a wide range of usage levels and pool envelopes.



Deluxe

I or 3 meter stands that come with stainless steel handrails, an adjustable fulcrum, and are primed and ready for paint. Options include back, left, right and dual mounting styles.



Econoline I meter stand with back step, comes primed and ready for paint.

commercial board & stand selector



Steel Meter ½, ¾ and I meter stands that come powder-coated in radiant white (I meter requires handrails).

2/3 Meter Deck Level Comes primed and ready to paint.

STANDS BOARDS	2/3 meter Deck Level	Deluxe	Econoline	Steel Meter	U-Frame
Eureka		DB	DB		
Frontier III Commercial	DB	DB	DB	DB	DB
Frontier IV				DB*	DB*
Olympian	DB	DB	DB	DB	DB
Swim Club	DB	DB	DB	DB	DB

DB-DIVING BOARD

& SWIM CLUB

*Requires a stand specific for a Frontier IV board, call factory for assistance

REPLACEMENT BOARDS





FIBRE-DIVE BOARD





OLYMPIAN

*All diving boards have a 250 pound weight limit, except for the Frontier IV, which has a 400 pound weight limit.

FRONTIER II, III & IV* BOARD

FREESTYLE & HIPHOP

S.R.Smith, LLC P.O. Box 400, 1017 SW Berg Parkway Canby, Oregon 97013

P 503.266.2231 TF 800.824.4387 F 503.266.4334 www.srsmith.com

