
FXLuminaire.



The EA produces a soft, efficient LED glow, and was created specifically for those looking for sharp, tight geometric angles. Its sleek look and FX-strong construction make it applicable to an array of path light situations.

EA: Path Light

NUMBER OF LEDS:	1
HALOGEN LUMEN OUTPUT EQUIVALENT:	10 Watt
USEFUL LED LIFE (L70):	50,000 hrs avg
INPUT VOLTAGE:	10 to 15V
VA TOTAL: (Use this number to size the transformer)	2.4
WATTS USED:	2.0
LUMENS PER WATT (EFFICACY)	19.4
MAX LUMENS:	39
CCT (Ra)	86





EA: Path Light

FACTORY INSTALLED OPTIONS (TOP ASSEMBLY): Order 1 + 2

Step	Description	Code
1	TOP ASSEMBLY	EALEDTA
2	TOP FINISH	AB*, AT*, CU, NP*, WG, FW, AL, BZ, DG, WI, VF, SB, FB

EXAMPLE: EALEDTA-FB = EA Top Assembly - Flat Black Finish

FACTORY INSTALLED OPTIONS (RISER ASSEMBLY): Order 1 + 2 (optional) + 3 + 4 + 5

Step	Description	Code
1	RISER TYPE	Р
2	OPTIONAL ZD	ZD (Refer to the Luxor page in the Lighting Control section)
3	LAMP	1LED (50,000 avg. life hours)
4	RISER HEIGHT	8RA, 12RA, 18RA, 24RA, 36RA (in inches)
5	FINISH	AB*, AT*, CU, NP*, WG, FW, AL, BZ, DG, WI, VF, SB, FB


EXAMPLE: P-ZD-1LED-18RA-FB = Riser Type - ZD Option - 1 LED Board - 18" Riser - Flat Black Finish

FIELD INSTALLED OPTIONS: Order Individually

Mounting Options				w
Long Slot Spike (250015840000) 2.5" x 10" Included	V		V	
Super Slot Spike (753900) 2" x 10"			V	- 1
SuperJ-Box (<i>SJ-XX**</i>) 2.5" x 12"	₩	₩	₩	
Post Mount (<i>PM-XX**</i>) 2.5" x 13"	Long Slot Spike	Super Slot Spike	Super J-Box XX**	Post Mount XX**

EXAMPLE: 753900 = Super Slot Spike

PHOTOMETRICS:



Beam angle is calculated using LM-79 method for SSL Luminaires:

METALS



AB = Antique Bronze* (On Copper)



AT = Antique Tumbled* (On Copper)



 $\mathbf{CU} = \mathsf{Copper}$



NP = Nickel Plate*

POWDER COAT



WG = White Gloss



FW = Flat White



AL = Almond



BZ = Bronze Metallic





 $\mathbf{DG} = \mathsf{Desert} \; \mathsf{Granite}$



WI = Weathered Iron



VF = Verde Speckle





SB = Sedona Brown



FB = Flat Black



All EA path lights come standard with amber, green, blue and frosted filters

The EA includes a 1LED board, choice of riser size and finish, 5 ft. lead wire and Long Slot Spike.

Note: Only the copper portions of the path lights are powder coated. The brass pieces remain natural.

 $[&]quot;Beam \, angle \, is \, defined \, as \, two \, times \, the \, \, vertical \, angle \, at \, which \, the \, intensity \, is \, 50\% \, of \, the \, maximum."$

^{*} May require longer lead time

^{**} Denotes finish option