



ZODIAC[®]
a better life[®]

iAQUALINK™ 2.0



FOR POOL PROFESSIONALS

iAquaLink™ 2.0

EASY TO SELL. EASY TO INSTALL. EASY TO USE.

NEW & IMPROVED
 for faster & easier installation.

- Wi-Fi setup
- Wi-Fi performance
- Wi-Fi router compatibility



HARNESS THE POWER OF THE WEB TO OFFER
 CUSTOMERS THE PERFECT POOL CONTROL EXPERIENCE

WHAT'S NEW

Zodiac's new iAquaLink 2.0 delivers the easiest installation ever. Working with installers, electricians, and pool professionals, we developed an all-new solution that provides the easiest installation, set up and use. No more laptops, cables, or software to download. Wi-Fi setup can be done wirelessly, using any smartphone, tablet, or laptop.


For pool owners, iAquaLink 2.0 improves Wi-Fi reliability with a stronger signal and out-of-box compatibility with virtually all residential routers. Owners get the same great iAquaLink experience, and use the same free apps.

EASY TO SELL

- Seamless addition to any AquaLink® system, one of the most trusted names in pool controls.
- No wires, wall panels, or charging bases.
- Allows users to turn the spa on while they're away, so it's hot and running by the time they get home.
- Start the pool cleaner during soccer practice so the pool is ready for the kids as soon as they get home.
- Turn the temperature down while away on vacation.
- Shut the pool system down after vacationers leave the rental property.
- Demonstrate to customers how easy it is to operate water features and lights.

NEW! EASIEST INSTALLATION

1 Wire iAquaLink™ to the AquaLink® Automation system.



2 Start WiFi Setup Mode
Toggle the Wi-Fi Switch



3 Connect iAquaLink to the Wi-Fi network - *Two ways to do this:*


A. Wi-Fi Hotspot Method - requires a smartphone or tablet

1



After clearing the Wi-Fi settings and with the Wired/Wi-Fi switch set to Wi-Fi, use a smartphone or Wi-Fi enabled device to go to Wi-Fi settings. Connect to the network labeled iAquaLink.

2



Some devices will automatically redirect to the Log In / Setup Screen. If not, open a browser and go to www.zodiac.com


3



iAquaLink will display the networks it detects, as well as signal strength. Select the desired network to connect iAquaLink.

1 If prompted for a password, enter the password for the home network (caps sensitive). iAquaLink will disconnect from the smartphone at this point.

4




Within 2 minutes, the yellow LED should stop blinking. When the green LED illuminates, the iAquaLink is now connected.


B. WPS Method

Requires physical access to a WPS-enabled router


Press the WPS button on the router to start WPS setup.



Within 2 minutes, press the WPS button inside the iAquaLink 2.0. The two devices will exchange a passcode and establish communication.



HOW IT WORKS



AVAILABLE CONFIGURATIONS

iQ20-A iAquaLink Kit Includes:




iAquaLink 2.0 Web Connect Device.

iQ20-RS iAquaLink Kit Includes:



iAquaLink 2.0 Web Connect Device.



Main Power Center Board and
AquaLink RS Firmware Upgrade.

SELECT THE CORRECT iAQUALINK 2.0 UPGRADE KIT

Use p/n **iQ20-A** to upgrade these systems:

- AquaLink RS - Rev R & newer
- AquaLink PDA - Rev 6.0 & newer
- AquaLink Z4 - all revisions

Use p/n **iQ20-RS** to upgrade these systems:

- AquaLink RS - Rev QQQ & older
- AquaLink PDA - Rev 5.0 & older

EASY TO USE

- Operate AquaLink controllers from anywhere using any web-connected computer, smartphone, or tablet.
- Free apps available for Apple®, Android™, and virtually all other smart devices.
- Can be used with most existing wall-mounted or wireless AquaLink user interfaces.
- Service pros can troubleshoot and setup AquaLink RS systems remotely, using just a smartphone, tablet, or web browser.



Zodiac Pool Systems, Inc.

2620 Commerce Way, Vista, CA 92081 | 1.800.822.7933
www.ZodiacPoolSystems.com
www.facebook.com/ZodiacPoolSystems

Zodiac Pool Systems Canada, Inc.

2115 South Service Road West, Unit #3, Oakville, ON L6L 5W2
1.888.647.4004 | www.ZodiacPoolSystems.ca