

**SR**Smith™

STARTING PLATFORMS

# starting PLATFORMS



# starting platforms



## WIN AT THE START

Whether for an elite swimming program or for recreational racing, we have a starting block style to meet the facility requirement. Combine virtually any of our platforms with our high performance anchoring system and guarantee swimmers a RockSolid™ advantage. All S.R.Smith starting platforms meet FINA, NCAA, NFSHA, USAS and USMS regulations.

## SELECTION MADE EASY

Our online starting block configurator will help determine which S.R.Smith starting platforms work with your pool. Simply provide a few key dimensions that will generate a specification document. You will receive the information in an email, which can be used when requesting a quote.

### STARTING BLOCK CONFIGURATOR

Find the starting blocks that will match your pool shape and measurements.

#### Step 1 - Dimensions

The S.R. Smith Starting Block Configurator makes it easy to get the right blocks for your facility. Submit measurements, select products, customize footboards with colors or logos, submit your contact information and we'll do the rest. Need help? Contact our Commercial Products Specialist at 1-800-824-4387 or email [sales@srsmith.com](mailto:sales@srsmith.com).

**Water Depth**  
0 inches

**Block Height**  
Total Height 0 inches  
Deck to Water Height - 0 inches  
Height of Platform = 0 inches

STEP 2: SELECT STARTING BLOCK >

## SETTING THE STANDARD: S.R.SMITH ELITE STARTING BLOCKS

The Velocity and Legacy series blocks offer the best advantage to competitive swimmers.

### Standard features:

- Adjustable track start wedge tucks beneath footboard when not in use
- Patented RockSolid® anchoring system
- Powder-coated, 2.5"/63.5mm stainless steel frame in 4 standard colors, custom colors available
- Custom colors and logos available on sand treaded footboards and steps
- Available in Standard, Side Mount and Long Reach models



Velocity Side Mount

### Velocity Series **NEW**

Engineered with injected resin transfer technology, the footboard has outstanding strength as well as a sleek, hi-tech appearance. This new elite S.R.Smith starting platform is available with a unique, composite tread called TrueTread™ or with sand tread.

- 28" x 32" (711mm x 813mm) footboard
- TrueTread™ footboard tread, or sand tread
- Colorado & Daktronic timing system compatible
- Retrofittable onto existing S.R.Smith Legacy frames
- Can be ordered without track start; upgrade kits available



Legacy Launch Long Reach

### Legacy Launch & Legacy

Legacy footboards are constructed for stability with a high impact, laminated core reinforced with fiberglass, wrapped in an acrylic skin, and topped with a non-slip sanded tread. For an enhanced grip with more surface area, a SolidStart edge has been incorporated into the front grip area.

- The Legacy Launch comes with a track start wedge; Legacy without a track start
- 24" x 32" (610 x 813mm) footboard with sand tread
- Daktronic timing system compatible



Legacy Standard

### Show Off Your Colors

Most of our platforms frames are available in four powder-coated colors, with radiant white steps and footboards. We also offer a variety of customization options for facilities that want to show off their team spirit with logos or custom colors on the footboard and frame.

#### TREAD COLOR



RADIANT WHITE

*Custom colors also available for an additional charge.*

#### STANDARD FRAME COLORS



SILVER GRAY



TAUPE



RADIANT WHITE




ROYAL BLUE

#### TrueTread™ COLORS (Available on Velocity series starting platforms only)



YELLOW



RED



BLUE



GRAY

*Due to printing technology actual colors may differ.*



### Legacy II Side Mount

This dual post platform is designed for pools with narrow bulkheads or limited deck space. Models available for a wide variety of setback and height off deck ranges.

- 24" x 32" (610mm x 813mm) footboard with non-slip sand tread surface
- High impact platform, reinforced with fiberglass and topped with acrylic skin
- RockSolid dual post anchoring system
- Powder-coated, 1.90"/48mm stainless steel tube frame in
- Custom colors available on footboard and frame



### Legacy II Dual Post

This platform is an economical choice for recreational swimming facilities

- 20" x 24" (508mm x 610mm) footboard
- Sand-treaded platform for slip-resistance
- Dual post or RockSolid dual post anchoring system
- Electro-polished, 1.90"/48mm stainless steel tube frame for added corrosion resistance



### Universal

The Universal starting platform features a unique, over-sized footboard and step that provides safe platform access and doubles as a coaching step or rest area.

- Footboard and step have non-slip sand tread surface
- High impact platform, reinforced with fiberglass and topped with acrylic skin
- Patented RockSolid® anchoring system
- Powder-coated, 2.5"/63.5mm square stainless steel frame
- Custom colors available on footboard and frame



### Varsity Deluxe

Available in 18"/457mm and 30"/762mm (maximum height over water) models, Varsity Deluxe starting blocks are designed for recreational swimming facilities, and are ideal for novice swimmers.

- Footboard has non-slip sand tread surface
- 22" x 22" (560mm x 560mm) footboard
- High impact platform, reinforced with fiberglass and topped with acrylic skin
- Polished marine grade, 1.90"/48mm stainless steel tube frame


## RockSolid™ Solutions

A high-performance anchoring system has an innovative expandable wedge assembly that exerts continuous and consistent pressure on the platform post to prevent starting block movement.

- Available in single and dual-post models
- Single-post accommodates 2.5"/63.5mm square tubing
- Dual-post accommodates 1.90"/48mm OD round tubing



Dual-post RockSolid Anchor



Optional RockSolid Safe-T-Cap

Sits flush to the pool deck if starting blocks are removed, and utilizes same wedge bolt to tighten and hold in place.

## Four Backstroke Handles



Angled Handle



Horizontal Handle



U Handle



H Handle

## Side Handles

Additional starting technique option for faster starts. Can be retrofitted onto Legacy Launch, Legacy, and Universal starting platforms.



## S.R.SMITH STARTING BLOCKS AT-A-GLANCE

PRODUCT	ADJUSTABLE WEDGE	OPTIONAL SIDE HANDLES	PATENTED ROCKSOLID™ ANCHOR	CUSTOM TREAD, FRAME COLORS & LOGOS AVAILABLE	OPTIONS	MEETS FINA, NCAA, NFSHA, USAS, USMS REGULATIONS
Velocity	✓		✓	✓*	Side Mount, Long Reach, Four backstroke handles	✓
Legacy Launch	✓	✓	✓	✓	Side Mount, Long Reach, Four backstroke handles	✓
Legacy		✓	✓	✓	Side Mount, Long Reach, Four backstroke handles	✓
Legacy II						✓
Legacy II Side Mount			✓	✓*	Four backstroke handles	✓
Varsity Deluxe					18"/457mm or 30"/762mm (maximum height over water)	✓
Universal		✓	✓	✓*	Four backstroke handles	✓

\* No custom logos on Velocity blocks with TrueTread™, Universal Block and Legacy II Side Mount tops

To ensure you have the most current version of this publication, please visit our website.



S.R.Smith, LLC  
 P.O. Box 400, 1017 SW Berg Parkway  
 Canby, Oregon 97013

P 503.266.2231 TF 800.824.4387 F 503.266.4334  
[www.srsmith.com](http://www.srsmith.com)

Copyright © 2016 S.R. Smith. All rights reserved. M-E-BRO-170 5M 0116