



A New Spin on Precision Water Analysis



2-YEAR WARRANTY!



See Video at www.lamotte.com/spinvideo



WaterLink® Spin Lab

Code 3576

Let the innovative WaterLink® Spin photometer do all your pool and spa water testing for you. Just fill one unique Spin reagent disk with water and vital tests are done automatically (see chart).

In just 60 seconds all the test results are transferred into the DataMate® software (sold separately) and analyzed to display results and recommend precise treatment instructions. Remove the disk and you are ready for the next customer!

This ground-breaking analysis system is so simple anyone can use it! Each sealed reagent disk contains the precise amount of reagent needed to run a complete series of tests. No measuring water, no vials to fill, no prep time!

- So Simple Anyone Can Use It
- Pre-Measured Reagents
- Just Fill Disk With Pool or Spa Water and Spin
- All Test Results in Just 60 Seconds
- Precise Wet Chemistry



Chlorine/Bromine Series Disk*

NEW!

Code 4328-H (50/pk)

Test Factor	Range
Free Chlorine	0-15.0 ppm
Total Chlorine	0-15.0 ppm
Bromine	0-33.0 ppm
pH	6.3-8.6 pH
Calcium Hardness	0-1200 ppm
Total Alkalinity	0-250 ppm
Cyanuric Acid	5-150 ppm
Copper	0-3.0 ppm
Iron	0-3.0 ppm

Includes 100 Chlorine disks with lab

Chlorine/Bromine plus Phosphate Series Disk†

NEW!

Code 4329-H (50/pk)

Test Factor	Range
Free Chlorine	0-15.0 ppm
Total Chlorine	0-15.0 ppm
Bromine	0-33.0 ppm
pH	6.3-8.6 pH
Calcium Hardness	0-1200 ppm
Total Alkalinity	0-250 ppm
Cyanuric Acid	5-150 ppm
Copper	0-3.0 ppm
Iron	0-3.0 ppm
Phosphate	0-1500 ppb

† Disks sold separately

Chlorine/Bromine plus Borate Series Disk†

NEW!
BORATE FORMULA

Code 4330-H (50/pk)

Test Factor	Range
Free Chlorine	0-15.0 ppm
Total Chlorine	0-15.0 ppm
Bromine	0-33.0 ppm
pH	6.3-8.6 pH
Calcium Hardness	0-1200 ppm
Total Alkalinity	0-250 ppm
Cyanuric Acid	5-150 ppm
Copper	0-3.0 ppm
Iron	0-3.0 ppm
Borate	0-60 ppm

† Disks sold separately

Biguanide plus Borate Series Disk†

NEW!
BORATE FORMULA

Code 4331-H (50/pk)

Test Factor	Range
Biguanide	0-70 ppm
Biguanide Shock	0-250 ppm
pH	6.3-8.6 pH
Calcium Hardness	0-1200 ppm
Total Alkalinity	0-250 ppm
Copper	0-3.0 ppm
Iron	0-3.0 ppm
Borate	0-60 ppm

† Disks sold separately

Disk Patent No. 8,734,734
FCI Patent No. 8,987,000
TCI Patent No. 8,993,337

WaterLink® DataMate® Web

WaterLink® DataMate® Web is a cloud-based pool and spa water analysis system that can be used in your retail store or on the road through an Android® or iOS® device.

Customize

With more control and flexibility than ever before, DataMate Web offers an incredible amount of customization. Our robust and extremely customizable chemical treatment engine gives you the tools to recommend virtually any chemical product, with dosage rates and treatment text tailored to the way you service pools.

Data

Keep your customer records, including test history, equipment items, and service history stored safely in the cloud, easily accessible from any computer or mobile device with an internet connection.

Link

DataMate® Web is compatible with our WaterLink® Spin lab [Code 3576] and the Bluetooth® Mobile WaterLink® Spin lab [Code 3577] for Android® and iOS® devices. Put a new spin on water analysis, no matter where you go.

Analyze

Water analysis is important to your business, so DataMate Web is fully loaded to test for pretty much every factor, condition, and situation you need. Test for Free and Total Chlorine, pH, Alkalinity, Hardness, Stabilizer, Iron, Copper, Manganese, Nitrate, Phosphate, TDS, Salt, Borate, Bromine, Biguanide and Biguanide Shock, as well as treatments for various colorations and cloudy conditions. DataMate Web does it all.

Service

Your service company needs a complete and affordable solution to keep track of customer work orders and service history without sacrificing full integration with customizable water analysis and connection to the WaterLink Spin lab. This is it! With DataMate Web, create Work Orders for your techs for weekly visits, or just one time service. Using the mobile WaterLink® Connect app for Android® and iOS®, mobile techs are routed to customer sites and guided through testing and treating the water right on their phone or tablet. Finally, the customer is notified with a professional e-doorhanger directly to their email address. Paperwork is a thing of the past!



PC Software Requirements:

Supported browsers include Internet® Explorer 11 and Google Chrome™. Chrome and Microsoft .Net® Framework 4.0 are required for connection to a WaterLink Spin lab.

PC Hardware Requirements:

Recommended minimum: 3 GHz Intel® Pentium IV Core 2 processor or higher with 1 GB RAM or more. Minimum disk space: 850 MB. A High Speed USB 2.0 port available for computer connections.

Supported Mobile Devices


Most Android® devices supported. Made for iPhone 6 Plus, iPhone 6, iPhone 5s, iPhone 5c, iPhone 5, iPad Air 2, iPad Air, iPad mini [1st through 3rd generation], iPad 4th Generation.


Android logo, Google™, and Google Chrome™ are trademarks of Google Inc. iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries.

Bluetooth® is a registered trademark of Bluetooth® SIG, Inc. Internet Explorer® and Microsoft .NET® are registered trademarks of the Microsoft® group of companies.



Go to
www.waterlinkconnect.com
to Learn More





DataMate® 10 Software

Code 1768 [Compact Disk]

- Results Sent Directly From [WaterLink® Spin](#)
- Easily Customized by Retailer
- Equipment Log

The DataMate® 10 software is a user-friendly Windows® PC-based water analysis computer program that generates custom pool and spa water treatment recommendations for your customers. Recommendations are in proper sequence with precise dosages and clear instructions. The program allows more control and flexibility for the pool and spa professional to make the necessary changes to fit their needs.

Software Requirements:

Supported Operating Systems: Microsoft® Windows® 10; Microsoft® Windows® 8; Microsoft® Windows® 7. Prerequisites: Windows® Installer 4.5 or later; Internet Explorer® 5.01 or later.

Hardware Requirements:

Recommended Minimum: 3 GHz Intel® Pentium® IV, Core 2 processor or higher with 1 GB RAM or more. Minimum disk space: x86 [32 bit] – 850 MB x64 [64 bit] – 2 GB. High Speed USB 2.0 Port Available.

Windows®, Windows® 10, Windows® 8, Windows® 7, Internet Explorer®, and Microsoft .NET® are registered trademarks of the Microsoft® group of companies.

Pentium® is a registered trademark of the Intel® corporation in the U.S. and other countries.

Customize

Insert three pool chemical lines and two spa chemical lines to reflect your brands. Recommendations for sanitizers, shocks, balancers, algaecides and specialty chemicals can be edited along with ideal test factor levels. A new feature is the ability for the retailer to add their logo to the test report.

Data

Store data on your customers like the brand of chlorine [salt] generators, alternative sanitizers, auto cleaners, water features, filters, pool surface, spa model, heater, motor and many other fields. An equipment log for each customer stores information pertaining to manufacturer, brand, serial number, installation date and warranty expiration. Extra fields allow the retailer to add comments on the customer's report or private comments in their file.

Link

The DataMate® 10 software is compatible with the WaterLink® Spin and WaterLink®3 Express. Test results from the meter can be sent directly into the software through a USB connector cable or results can be manually typed into the software for tests such as Salt, Phosphates or TDS levels.

Analyze

The test entry section of the DataMate® 10 includes fields for Free Chlorine, Total Chlorine, Bromine, Biguanide, Biguanide Shock, pH, Alkalinity, Calcium Hardness, Cyanuric Acid, Copper, Iron, Nitrate, Borate, Phosphate, Manganese, Salt and TDS. There are check boxes for certain water conditions such as water color, stains, cloudy, foamy, or products needed to remedy problems like enzymes, cover cleaner, filter cleaner, surface cleaner, pool opening procedures, pool closing procedures, weekly maintenance and salt maintenance procedures.

Storage

Unlimited pool and spa tests can be stored in customer's files for easy access and reference. In addition, the database can sort information, generate reports, graph specific test factor trends and print labels.

All printed recommendations feature the dealer's store information—name, address, phone & fax numbers, website, etc., as well as a section to advertise monthly sales or other pertinent information for specific customers.



Water Testing Leader Since 1919!

LaMotte Company · PO Box 329 · Chestertown · Maryland · 21620 · USA
t: 800-344-3100 · 410-778-3100 · f: 410-778-6394 · www.lamotte.com/spin