

DUAL STAGE FILTRATION SYSTEM

OPAL XL 270/MULTICYCLONE 16

CRYSTAL CLEAR, SPARKLING WATER

FIRST STAGE CENTRIFUGAL FILTRATION using centrifugal we can remove over 90% of debris before they enter the second stage. Spins out debris as low as 5 microns. It has no moving parts and can be cleaned with a simple purge. Enhancing the performance of suction cleaners and in-floor systems.

SECOND STAGE FILTRATION using specially designed extra large cartridges. We can operate up to 138gpm. Maximizing its dirt holding capacity and minimizing filter maintenance.

The filter dome lid is equipped with grip handles that allow easy access to the filter cartridge for removal, cleaning and installation in a matter of minutes.


SYSTEM BENEFITS

- Easy purge system with no backwashing.
- Ideal for suction cleaner performance
- No more filter band clamps and manifolds to disassemble
- Minimum 4 times extension in filter clean cycles
- 3 YEAR FIRST STAGE WARRANTY / 10 YEAR

SECOND STAGE TANK WARRANTY (See dealer for details)

1st STAGE CENTRIFUGAL WATER FILTRATION

The MultiCyclone works on the basis of centrifugal water filtration. There are no moving parts to wear and tear, and no filter media to clean or replace.




*Note: The MultiCyclone is designed to filter sediment that is heavier than water, floating debris cannot be filtered out by centrifugal filtration.



Simple Maintenance

2nd STAGE WATER FILTRATION

Constructed from high impact polypropylene and designed for easy maintenance. The Opal XL cartridge filters will provide years of trouble free service.



Extra Large Filter Cartridge

Opal XL filter cartridges are fabricated from pleated reusable polyester fabric. The extra larger size cartridge has been pleated to provide 225ft² to 270ft² of surface area maximising its dirt holding capacity and minimising filter maintenance.


Material: Polyester fabric material, plastisol end caps and a polypropylene core.

Operating Temperature: 39F to 122F

Maximum Pressure Drop: 50 PSI

Simple Maintenance

The filter cartridge is easily cleaned by hosing the pleats with a standard garden hose.



Dimensions

Waterco (USA) Inc Augusta, Georgia, USA Tel: +1 706 793 7291 Waterco Canada Longueuil, Quebec, Canada Tel: +1 450 748 1421

NSW - Sydney (Head Office Tel: +61 2 9898 8600 Waterco (Europe) Limited Sittingbourne, Kent. UK Tel: +44 (0) 1795 521 733 Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570 Waterco (C) Limited Guangzhou, China Tel: +86 20 3222 2180

Waterco (Far East) Sdn Bhd Selangor, Malaysia Tel: +60 3 6145 6000 PT Waterco Indonesia Jakarta, Indonesia Tel: +62 21 4585 1481 Waterco Singapore Intl Pte Ltd Nehsons Building, Singapore Tel: +65 6344 2378



ATEKCU

water, the liquid of life

In the interest of providing better quality and value we are constantly improving and updating our products. Consequently, pictures and information on our brochures may sometimes vary slightly from models available.