

# velocity advantage **order form**

Help us serve your clients better by including architectural line drawings and specifications for new installations, and line drawings and/or photos for existing applications.

## DISTRIBUTOR INFORMATION

DATE: \_\_\_\_\_

COMPANY	CONTACT NAME
PHONE	EMAIL

## PROJECT JOB INFORMATION

INSTITUTION	CONTACT NAME
ADDRESS	CITY - STATE - ZIP
PHONE	EMAIL

S.R.Smith manufactures a wide range of starting blocks for use at all levels of competitive swimming, and takes into consideration rules and regulations from the Federation Internationale de Natation (FINA), USA Swimming, National Collegiate Athletic Association (NCAA), National Federation of State High School Associations (NFSHSA), and the Model Aquatic Health Code (MAHC). S.R.Smith and end user also recognize that state and local building codes apply in various jurisdictions.

Starting blocks are specified in each organization's rules and regulations at various minimum water depths:

FINA: 4 feet 5 inches

USA Swimming: 4 feet for competition, 6 feet for teaching, 6 feet 7 inches for championship meets

NCAA: 4 feet

NFSHSA: 4 feet

MAHC: 4 feet

S.R.Smith takes these minimum water depths into consideration on each order for starting blocks.

With this information, S.R.Smith suggests the following recommendations for maximum starting block height over water:

Less than 4 feet of water depth: no starting blocks

4 feet - 6 feet of water depth: 18 inches

6 feet or more of water depth: 29.5 inches

Distributor and End User understand that regulations of governing bodies, including those listed above along with state and local codes, supersede these recommendations when they require additional depth. For example, a pool that will host FINA swim meets cannot place starting blocks in water depths of less than 4 feet 5 inches because it does not meet the minimum depth for FINA. By ordering, purchasing and installing S.R.Smith starting blocks, the Distributor and End User acknowledge receipt and understanding of the above recommendations.

tf: 800.824.4387  
f: 503.266.4334  
e: sales@srsmith.com



# velocity advantage **order form**

## 2 - DIMENSIONS

### A - Water Depth

\_\_\_\_\_ Feet    \_\_\_\_\_ Inches


Please add any additional dimensions (parapet, gutter, etc.) that will affect the design or placement of the starting block to Figure I.

### B- Deck to Water Height

Deck to water height: \_\_\_\_\_


### C - Retrofit

Please indicate the position of your existing anchors below, including the distance from the pool's edge.



1 SQUARE = 1 INCH

CENTERLINE  
EDGE OF POOL



## 3 - ORDER DETAILS

### A - Quantity

How many blocks would you like to order? \_\_\_\_\_

### B - Numbering

How would you like the blocks numbered (i.e., 12 starting blocks could be numbered 1-12, two sets of 1-6, or 1-11 with one blank)? \_\_\_\_\_

tf: 800.824.4387  
f: 503.266.4334  
e: sales@srsmith.com



# velocity advantage **order form**

## 4 - SPECIAL REQUEST

Only one of the following choices can be selected for your starting block order.  
*These items also include additional charges and lead time.*

### A - TrueTread™ (Velocity only)

Velocity footboards are available in a choice of four TrueTread™ colors. Place a mark next to the desired color in Table 2.

TRUETREAD™ COLOR	
<input type="checkbox"/>	Gray
<input type="checkbox"/>	Blue
<input type="checkbox"/>	Red
<input type="checkbox"/>	Yellow

Table 2

### B - Logo / Footboard Numbers (not available with TrueTread™)

If you would like a logo or numbering placed on the footboards, please email file in .pdf or .eps formats. We will send a separate drawing of the logo/numbering placement on the footboard to be signed off along with the drawing for the starting block(s).

- YES, we want a logo.  
 YES, we want numbering placed on the footboard.

### C - Sand Tread

**Note:** Colored treads are not available if you have specified a logo or number be placed on the tread.

You can get the tread for the footboard and step in a selection of colors. Place a mark next to the desired color in Table 3. *Standard color for the tread is white. White will be used if there is no color tread or logo selected.*

SAND TREAD COLOR	
<input type="checkbox"/>	Yellow
<input type="checkbox"/>	Red
<input type="checkbox"/>	Green
<input type="checkbox"/>	Blue

Table 3

Distributor and End User understand that regulations of governing bodies, including those listed above along with state and local codes, supersede these recommendations when they require additional depth. For example, a pool that will host FINA swim meets cannot place starting blocks in water depths of less than 4 feet 5 inches because it does not meet the minimum depth for FINA. By ordering, purchasing and installing S.R.Smith starting blocks, the Distributor and End User acknowledge receipt and understanding of the above recommendations.

End User Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Date: \_\_\_\_\_

Distributor Signature: \_\_\_\_\_

Printed Name: \_\_\_\_\_

**Return completed and signed form to S.R.Smith:**

**fax: 503.266.4334**

**email as a scanned .pdf attachment: sales@srsmith.com**