

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

## 1 Identification

- **Product identifier**
- **Trade name:** EZ SPA E-Z Boost
- **Article number:** No other identifiers
- **CAS Number:**  
Trade Secret
- **Recommended use and restriction on use**
- **Recommended use:** Water disinfectant
- **Restrictions on use:** See Sections 8 and 10 for further information.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
API  
880 Jupiter Park Drive, Suite 14  
Jupiter, FL 33458 USA  
Phone: 561-743-0449
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Sol. 2    H272    May intensify fire; oxidizer.



GHS07

Acute Tox. 4    H302    Harmful if swallowed.

Eye Irrit. 2A    H319    Causes serious eye irritation.

STOT SE 3    H335    May cause respiratory irritation.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS03 GHS07

- **Signal word** Danger

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 1)

- **Hazard-determining components of labeling:**

Trade Secret

- **Hazard statements**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- **Precautionary statements**

P210 Keep away from heat.

P220 Keep/Store away from clothing/combustible materials.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 3

Reactivity = 2

The substance possesses oxidizing properties.

- **HMIS-ratings (scale 0 - 4)**



HEALTH 1 Health = 1

FIRE 3 Fire = 3

REACTIVITY 2 Reactivity = 2

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
Trade Secret

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
Provide oxygen treatment if affected person has difficulty breathing.
- **After skin contact:**  
Brush off loose particles from skin.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
Coughing  
Irritant to eyes.  
May cause respiratory irritation.  
Breathing difficulty
- **Danger** Harmful if swallowed.
- **Indication of any immediate medical attention and special treatment needed**  
Medical supervision for at least 48 hours.  
If necessary oxygen respiration treatment.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.  
May intensify fire; oxidizer.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 3)

- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation.  
Avoid formation of dust.  
Avoid substance contact. Do not breathe mists or dusts.  
Keep/Store away from clothing/combustible materials.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Use only in well ventilated areas.  
Prevent formation of dust.  
Thorough dedusting.  
Take any precaution to avoid mixing with combustibles.  
Contact with acids liberates toxic gas.
- **Information about protection against explosions and fires:**  
Keep respiratory protective device available.  
May intensify fire; oxidizer.  
Keep/Store away from clothing/combustible materials.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with acids.  
Store away from foodstuffs.  
Store away from flammable substances.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015


Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 4)

- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Keep containers tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
  - **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
  - **Additional information:** No further relevant information available.
  - **Exposure controls**
  - **Personal protective equipment:**
  - **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes and skin.
  - **Engineering controls:** No further relevant information available.
  - **Breathing equipment:**  
Not required under normal conditions of use.  
Use suitable respiratory protective device in case of insufficient ventilation.  
Use suitable respiratory protective device when high concentrations are present.  
For spills, respiratory protection may be advisable.
  - **Protection of hands:**  
Not required under normal conditions of use.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
  - **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - **Eye protection:**
-  Safety glasses
- **Body protection:** Protective work clothing
  - **Limitation and supervision of exposure into the environment**  
No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 5)

## 9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:
  - Form: Granulate
  - Color: White
- Odor: Like chlorine
- Odor threshold: Not determined.
- pH-value: Not applicable.
- Change in condition
  - Melting point/Melting range: 250 °C (482 °F)
  - Boiling point/Boiling range: Undetermined.
- Flash point: Not applicable.
- Flammability (solid, gaseous): Product is not flammable.
- Auto-ignition temperature: 250 °C (482 °F)
- Decomposition temperature: Not determined.
- Auto igniting: Not determined.
- Danger of explosion: Product does not present an explosion hazard.
- Explosion limits:
  - Lower: Not determined.
  - Upper: Not determined.
- Oxidizing properties: Oxidizer
- Vapor pressure: Not determined.
- Density at 20 °C (68 °F): 0.7 g/cm<sup>3</sup> (5.842 lbs/gal)
- Bulk density at 20 °C (68 °F): 1000 kg/m<sup>3</sup>
- Relative density: Not determined.
- Vapour density: Not applicable.
- Evaporation rate: Not applicable.
- Solubility in / Miscibility with
  - Water at 25 °C (77 °F): 250 g/l
- Partition coefficient (n-octanol/water): Not determined.
- Viscosity:
  - Dynamic: Not applicable.
  - Kinematic: Not applicable.
- Other information: No further relevant information available.

## 10 Stability and reactivity

- Reactivity No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 6)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Contact with acids releases toxic gases.  
Reacts with many consumer products, releasing chlorine or chlorine oxide gas.  
Acts as an oxidizing agent on organic materials such as wood, paper and fats.  
Risk of dust explosion if enriched with fine dust in the presence of air.
- **Conditions to avoid**  
Keep/Store away from clothing/combustible materials.  
Avoid acids.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NOx)  
Chlorine compounds

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
Trade Secret		
Oral	LD50	1400 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

· <b>NTP (National Toxicology Program)</b>
Substance is not listed.

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>
Substance is not listed.

- **Probable Routes of Exposure**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

Harmful if swallowed.

May cause respiratory irritation.

- **Repeated Dose Toxicity:** No further relevant information available.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 7)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** Very toxic to aquatic life.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN2465
- **UN proper shipping name**
- **DOT, IATA** Dichloroisocyanuric acid salts
- **ADR** 2465 DICHLOROISOCYANURIC ACID SALTS, ENVIRONMENTALLY HAZARDOUS
- **IMDG** DICHLOROISOCYANURIC ACID SALTS, MARINE POLLUTANT

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 8)

· Transport hazard class(es)

· DOT



· Class 5.1 Oxidizing substances  
· Label 5.1

· ADR



· Class 5.1 (O2) Oxidizing substances  
· Label 5.1

· IMDG



· Class 5.1 Oxidizing substances  
· Label 5.1

· IATA



· Class 5.1 Oxidizing substances  
· Label 5.1  
· Packing group II  
· DOT, ADR, IMDG, IATA II  
· Environmental hazards: Yes  
· Marine pollutant: Yes  
· Special marking (ADR): Symbol (fish and tree)  
· Special precautions for user: Warning: Oxidizing substances  
· Danger code (Kemler): 50  
· EMS Number: F-A,S-Q  
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  
· UN "Model Regulation": UN2465, Dichloroisocyanuric acid salts, ENVIRONMENTALLY HAZARDOUS, 5.1, II

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

Trade name: EZ SPA E-Z Boost

(Contd. of page 9)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

- **Section 355 (extremely hazardous substances):**

Substance is not listed.

- **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

- **TSCA (Toxic Substances Control Act):**

Substance is not listed.

- **Proposition 65 (California)**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

Substance is not listed.

- **IARC (International Agency for Research on Cancer)**

Substance is not listed.

- **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

- **State Right to Know Listings**

Substance is not listed.

- **Canadian substance listings:**

- **Canadian Domestic Substances List (DSL)**

Substance is not listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

Substance is not listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

Substance is not listed.

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 07/14/2015

Reviewed on 07/14/2015

**Trade name: EZ SPA E-Z Boost**

(Contd. of page 10)

**· Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 07/14/2015 / -

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

**· Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)