

Product name		ClearView 1" Tabits
Revision date		4-25-15
Section 1	Identification	
Product ID:		1" Tabits
Chemical Name: Synonyms: Chemical Formul CAS Number: Product Use:	a:	Trichloro-S-Triazinetrione Trichloroisocyanuric acid; TCCA, Trichlor; Trichloro-S-Triazinetrione, Symclosene C ₃ Cl ₃ N ₃ O ₃ 87-90-1 Sanitizer, disinfectant, algaecide for pool/spas, Slow Dissolving, Stabilized
Supplier:	Supplier: Oreq Corporation 42306 Remington Avenue Temecula, CA 92590 951-296-5076	
Emergency Phon	e# 0	Chemtrec: 1-800-424-9300
Section 2	Hazards identifi	cation
GHS CLASSIFICA	TION:	Ox. Sol. 2 H272, May intensify fire; oxidizer. Acute Tox. 4, H302 Harmful if swallowed Eye Irrit. 2, H319 Causes serious eye irritation USA: Eye Irrit. 2A, Causes serious eye irritation STOT SE 3, H335 May cause respiratory irritation Aquatic Acute 1, H400 - Very toxic to aquatic life Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects
GHS SIGNAL WO	RD:	DANGER
HAZARD PICTOG	RAMS:	
Hazard Statement(s) H272 - May intensify fire; oxidizer H302 - Harmful if swallowed H319 - Causes serious eye irritation H335 - May cause respiratory irritation H410 - Very toxic to aquatic life with long lasting effects EUH031 - Contact with acids liberates toxic gasH302: Harmful if swallowed Precautionary Statement(s):		
P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P221 - Take any precaution to avoid mixing with combustibles/other chemicals P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P280 - Wear protective gloves/protective clothing/eye protection/face protection		

- P273 Avoid release to the environment
- P391 Collect spillage

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell



Product name

ClearView 1" Tabits

Revision date

4-25-15

Section 2 Hazards identification - (Continued)

Precautionary Statement(s) Continued:

Frecautionally Statement(S) Continued	4.			
P330 - Rinse mouth				
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for severalminutes. Remove contact lenses, if				
present and easy to do. Continue rinsing				
P337 + P313 - If eye irritation p	persists: Get medical advice/attention.			
P304 + P340 - IF INHALED: R	emove person to fresh air and keep comfortable for breathing			
P312 - Call a POISON CENTE	R or doctor/physician if you feel unwell			
P220 - Keep/Store away from o				
P264 - Wash hands thoroughly	P264 - Wash hands thoroughly after handling			
P270 - Do not eat, drink or smoke when using this product				
P271 - Use only outdoors or in				
P370 + P378 - In case of fire: Use water for extinction				
P405 - Store locked up				
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed				
P501 - Dispose of contents/container in accordance with national and international regulations				
Potential environmental effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.				
NEDA Detinge (Ceels 0.4)	Uselth 2 Fire 0 Departicity 0 Operated Marrie & OVIDIZED			

NFPA Ratings (Scale 0-4)	Health = 3, Fire = 0, Reactivity = 2. Special Hazard Warning: OXIDIZER.
HMIS Ratings (Scale 0-4)	Health = 3, Fire = 0, Reactivity = 2

Section 3 Composition / Information on ingredients

Component Trichloro-S-Triazinetrione		netrione	<u>CAS Number</u> 87-90-1	Percent 99%
	Section 4	First - aid measures		
I	Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Rem contact lenses, if present, after the first 5 minutes, then continue rinsing eye. (a poison control center or doctor for treatment advice.		
Skin contact Take off contaminated clothing. Rinse skin immediately with ple		lenty of water for		

- Inhalation15-20 minutes. Call a poison control center or doctor for treatment advice.InhalationMove person to fresh air. If person is not breathing, call 911 or an ambulance,
then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a
poison control center or doctor for further treatment advice.IngestionCall poison control center, or doctor immediately for treatment advice. Have
 - person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, acute or delayed

Eye Contact Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.
 Skin contact Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Repeated skin exposure may cause tissue destruction due to the corrosive nature of the product.



Product name	ClearView 1" Tabits	
Revision date	4-25-15	
Section 4 Firs	et - aid measures (Continued)	
- Inhalation	Irritating to the nose, mouth, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage from the corrosive action of the lung.	
- Ingestion	Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.	
Note to physician	Probable mucosal damage may contraindicate the use of gastric lavage. Corrosive. No specific antidote. In case of ingestion DO NOT induce vomiting. Treat symptomatically and supportively.	

Medical conditions

aggravated by exposure Asthma, respiratory and cardiovascular diseases.

Section 5 Fire - fighting measures

Suitable extinguishing media	Water. Large amounts of water may be needed and the flow of water should not be stopped until the fire/reaction has stopped.
Extinguishing media not to be used	Do not use dry chemical extinguisher containing ammonia compounds.
Unusual fire and explosion hazards	When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide and carbon dioxide.
Fire fighting procedure	Cool containers with water spray. Fire fighters should wear full protective clothing and self- contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

Section 6 Accidental release measures

Personal precautions	For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator
	equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear foroverhead exposure.
	For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body
	protection should be impervious clothing covering entire body to prevent personal contact with material. CAUTION -Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen
	trichloride gas may occur and an explosive condition may exist.



Product name		ClearView 1" Tabits	
Revision date)	4-25-15	
Section 6	Accidenta	release measures (Continued)	
Environmental p Methods for clea		Prevent entry into sewers and watercourses Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.	
- Soil		Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.	
- Water		This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.	
- Air		Vapors may be suppressed by the use of water fog.	
Section 7	Handling a	and storage	
Handling		Avoid bodily contact. Do not take internally. Upon contact with skin or eyes, wash off with water.	
Storage		Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid"). Product has an indefinite shelf-life limitation. Do not store at temperatures above 60°C/140°F. Available chlorine loss can be as little as 0.1% per year at ambient temperatures.	
Section 8	Exposure	controls / nersonal protection	

Section o	Exposure controls / personal protection	

Components	ACGIH-TLV Data	OSHA (PEL) Data
Trichloroisocyanuric Acid 87-90-1	Not determined	Not determined

Ventilation requirements Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs. Otherwise, ensure good general ventilation.

Personal protective equipment:

- Respiratory protection	When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection againts chlorine gas and dust/mist pre-filter.
- Hand protection	Neoprene gloves
- Eye protection	Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles may be required.
- Skin and body protection	Body covering clothes and boots
Hygiana maaayraa	Do not not amake or drink where material is handled processed or stored. Week

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.



Product name

ClearView 1" Tabits

Revision date

4-25-15

Section 9 Physical and chemical properties

Appearance Odor	White granules or tablet-form product Sharp, chlorine-like bleach odor
• • • •	•
Odor threshold	Not determined
рН	2.7-2.9 (1% solution)
Melting point/range	225-230°C (decomposes)
Boiling point/range	Not applicable (decomposes)
Flash point	Not applicable
Evaporation rate (ether=1)	Not applicable under standard conditions
Vapor pressure	Not applicable under standard conditions
Vapor density	Not applicable under standard conditions
Solubility:	
- Solubility in water	1.2 g/100ml at 25°C
- Solubility in other solvents	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	225 °C (437°F)
Viscosity	No data available
Bulk density	Granular - 0.89-1.1 g/cc
	Tablet - 1.16-1.9 g/cc
Specific gravity	>1
Explosive properties	Not available
Oxidising properties	Oxidizer
Particle size	Not available

Section 10 Stability and reactivity

Reactivity	Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.
Stability	Stable under normal conditions
Possibility of hazardous reactions	Decomposes when heated, releasing poisonous and corrosive fumes.
Conditions to avoid	Heating above 225°C (437°F).
Materials to avoid	Do not package in paper or cardboard. Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.
Hazardous decomposition products	Nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide, carbon dioxide.

Section 11 Toxicological information

Likely Routes of Exposure	Skin Inhalation Eye contact Ingestion
Acute toxicity: - Rat oral LD50 - Rabbit dermal LD50	809 mg/kg >2000 mg/kg



Product name	ClearView 1" Tabits			
Revision date	4-25-15			
Section 11 Toxicological information (Continued)				
- Eye irritation (rabbit) - Dermal irritation (rabbit)	Corrosive Corrosive			
Dermal sensitization	Not a sensitizer			
Chronic toxicity	Prolonged exposure may cause damage to the respiratory system. Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.			
Mutagenicity	Not mutagenic in five Salmonella strains and one E.coli strain with or without mammalian microsomal activation.			
Carcinogenicity	Not classified by IARC, OSHA, EPA. Not included in NTP 12th Report on Carcinogens			
Reproductive toxicity	There are no known or reported effects on reproductive function or fetal development. Toxicological investigation indicates it does not affect reproductive function or fetal development.			
Section 12 Ecological information				

Aquatic toxicity :

- 96 Hour-LC50, Fish	0.32 mg/l (Rainbow trout) 0.30 mg/l (bluegill sunfish) 0.21 mg/l
- 48 hour-LC50, Daphnia magna	
Avian toxicity: - Oral LD50, Mallard duck - Dietary LC50, Mallard duck - Dietary LC50, Bobwhite quail	1600 mg/kg >10,000 ppm 7422 ppm
Persistence and degradability Bioaccumulative potential Mobility in soil	Expected to biodegradable (Lit.) Not expected to bioaccumulate (Lit.) Expected to be highly mobile in soil (Lit.)
Germany, water endangering	3

classes (WGK)

Section 13 Disposal considerations

Waste disposalObserve all federal, state and local environmental regulations when disposing of this material.
If this product becomes waste, it will be a hazardous waste that is subject to the Land Disposal
Restrictions under 40 CFR 268 and must be managed accordingly.
Care must be taken to prevent environmental contamination from the use of this material.

Disposal of Packaging Empty containers should be disposed of in accordance with all applicable laws and regulations



Product nar	ne ClearView 1" Tabits
Revision date	4-25-15
Section 14	Transport information
UN No.	2468
DOT	Proper shipping name: Trichloroisocyanuric Acid Dry Class: 5.1 - Oxidizing substances Label: Oxidizing substances (5.1) Packing Group: II Emergency Guide No.140
	Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.
IMDG	Proper shipping name: Trichloroisocyanuric Acid Dry Class: 5.1 - Oxidizing substances Label: Oxidizing substances (5.1) Packing Group: II Mark: MARINE POLLUTANT
ICAO/IATA	Proper shipping name: Trichloroisocyanuric Acid Dry Label: Oxidizing substances (5.1) Class: 5.1 Packing group: II Marking: Environmentally hazardous substance
Section 15	Regulatory information
USA	Reported in the EPA TSCA Inventory. This product is registered under FIFRA.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

 Emergency overview in 	DANGER
accordance to EPA Master Label	Hazards to humans and domestic animals
	Highly corrosive
	Causes irreversible eye damage or skin burns
	May be fatal if inhaled
	May be fatal if absorbed through skin
	Strong oxidizing agent
	This pesticide is toxic to fish and aquatic organisms.
- SARA (311, 312)	This product is categorized as an immediate health hazard, and fire and reactivity physical hazard. This product does not contain a chemical listed at or above de minimis concentrations.
- Massachusetts Right-to-Know Hazardous Substances list	Listed



Product name	ClearView 1" Tabits			
Revision date	4-25-15			
Section 15 Regulatory information (Continued)				
 New Jersey Right-to-Know Hazardous Substances list 	Listed			
 Pennsylvania Right-to-Know Hazardous Substances list 	Listed			
- Waste Classifications	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number:D001.			
- Workplace Classification	This product is considered hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).			
Canada	Listed in DSL			
-WHMIS hazard class EU	C oxidizing materials D1B Toxic material causing immediate and serious toxic effects D2B Toxic materials causing other toxic effects Reported in EINECS			
EC No.	201-782-8			
Japan Australia	ENCS no. 5-1044 ISHL no. 5-1044 Listed in AICS			
New Zealand Inventory	Listed in NZIoC			
China - China inventory	Listed in IECSC			
Mexico	Listed in the National Inventory of Chemical Substances (INSQ).			
Korea	Listed in the Korea Existing Chemicals Inventory (KECI), number KE-34101			
Philippines	Listed in PICCS			

Section 16 Other information

DATE OF PREPARATION 4-25-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.