

## This statement of compliance applies to the following Aqua Creek Pool/Spa Access Lift models:

| Lift Model                     | U.S. ADA | UL Certification | State of CA (CBC) |
|--------------------------------|----------|------------------|-------------------|
| Ranger 2 Lifts                 | X        | X                | X                 |
| Scout 2 Lifts                  | X        | X                | X                 |
| Revolution Lifts               | X        | X                | X                 |
| Mighty 400 Lifts               | X        | X                | X                 |
| Mighty 600 Lifts               | X        | X                | X                 |
| Ambassador (Pro Pool XR) Lifts | X        |                  | X                 |
| Patriot Portable Lifts         | X        |                  | X                 |
| Titan 600 Lifts                | X        |                  | X                 |
| Spa Ultra Lifts                | X        | X                | X                 |
| Spa Elite Lifts                | X        | X                | X                 |

The Aqua Creek pool and spa access lift models indicated above meet or exceed the appropriate U.S. Federal ADA Standards (**2010 ADA Standards for Accessible Design, Chapter 10, Section 1009.2**) The State of California Building Codes (**CBC Section 11B-1009 & Section 1141A**) and the UL Safety Standards for handicapped pool and spa access lifts (**UL 60335-2-1000**) as indicated. The following pages outline the specific notes in regards to compliance.

**IMPORTANT: U.S. ADA Section 103 Equivalent Facilitation** States: Nothing in these requirements prevents the use of designs, products, or technologies as alternatives to those prescribed, provided they result in substantially equivalent or greater *accessibility and usability*.

**NOTE:** *There is no formal certification process for ensuring product ADA Compliance. Any certification, verification, or other similar statements are made based on independent interpretation of the referenced standards.*

**Aqua Creek is a Registered Class 1 Medical Device Manufacturer with the U.S. Food & Drug Administration (FDA).  
Registration #3004461389**

Aqua Creek Products, LLC  
9889 Garrymore Lane  
Missoula, MT 59808  
(888) 687-3552  
www.aquacreekproducts.com

| CODE   | Compliant                                    | Notes  |
|--|--|--|
| <b>ADA 1009.2.1 Pool Lift Location</b><br><b>CBC 1141A.2.5</b>   | N/A<br>N/A                                   | All or part of the listed code is an installation requirement and should be verified with the installer. <b>Nothing in the construction of the lift limits this requirement.</b>   |
| <b>ADA 1009.2.2 Seat Location</b>  | N/A  | All or part of the listed code is an installation requirement and should be verified with the installer. <b>Nothing in the construction of the lift limits this requirement.</b>   |
| <b>ADA 1009.2.3 Clear Deck Space</b><br><b>CBC 1138A.4.4.2</b><br><b>CBC 11B.305</b>   | N/A  | All or part of the listed code is an installation requirement and should be verified with the installer. <b>Nothing in the construction of the lift limits this requirement.</b>   |
| <b>ADA 1009.2.4 Seat Height</b><br><b>CBC 1141A.2.1.2</b>  | Yes<br>Yes                                   | All listed lift models have a seat height that is between 18 and 18.25 inches above the deck at the rear of the seat and no more than 19 inches at the front of the seat when at deck (load) height.   |
| <b>ADA 1009.2.5 Seat Width</b><br><b>UL 60335-2-1000 Sec. 22.102</b><br><b>CBC 1141A.2.1.1</b><br><b>CBC 1141A.2.1.4</b><br><b>CBC 1141A.2.1.5</b> | Yes<br><b>Certified</b><br>Yes<br>Yes<br>Yes | All Aqua Creek seats are of a 1-piece rotomolded plastic with a seat bottom measuring 18 inches wide minimum and a seat back height of 17 inches. All seats come standard with an adjustable seat belt with a sewn in hand loop for easy grasping and hook and loop fasteners. (No hard to adjust buckles that require nimble finger dexterity). |

| CODE  | Compliant  | Notes  |
|---|--|--|
| <b>ADA 1009.2.6 Footrests and Armrests</b><br><b>CBC 1141.A.2.1.3</b>   | Yes<br>Yes   | All ADA Compliant Aqua Creek Lifts come with two flip-up arm rests and all footrests are easily adjustable and removable for use in spa applications.  |
| <b>ADA 1009.2.7 Operation</b><br><b>UL 60335-2-1000 Sec. 22.103</b><br><b>CBC 1141A.2.2</b><br><b>CBC 1141A.2.3</b><br><b>CBC 1138A.4.4</b><br><b>CBC 11B.308.2</b><br><b>CBC 11B.308.3</b> | Yes<br><b>Certified</b><br>Yes<br>Yes<br>Yes<br>Yes<br>Yes | All lifts are anchored or counter balanced (in the case of portable lifts) to be steady and not move in an unsafe manner when loading. A hand-held, wired remote is provided that can be taken into the water with the user to access from the pool. Mounting clips are provided on the seat and the mast of the lift to store the remotes. No tight grasping, pinching, or twisting is necessary to operate the control and the manufacturer has tested the controls to certify that they require 1 pound of pressure to operate. All controls are mounted on the lift within reach range of someone sitting in a wheelchair. |
| <b>ADA 1009.2.8 Submerged Depth</b><br><b>CBC 1141A.5</b><br><b>CBC 1141A.6</b>   | Yes<br>Yes<br>Yes  | All lifts are designed to provide adequate submersion (minimum 18 inches water depth) to allow the user to become buoyant and swim away from the lift seat. The lift can be stopped at any point by the user simply by lifting their finger off the controller.  |
| <b>ADA 1009.2.9 Lifting Capacity</b><br><b>UL 60335-2-1000 Sec. 21.1</b><br><b>CBC 1141A.4</b>  | Yes<br><b>Certified</b><br>Yes                             | All Aqua Creek Lifts have a minimum 300 pound weight capacity and are factory tested to withstand at least 1.5 times their listed weight capacity.   |